



Ameri
sociation.



Atrial fibrillation type: A histogram of patients grouped by atrial flutter. AHAAF31

Atrial flutter type: A histogram of patients grouped by atrial fibrillation. AHAAF32

Co-morbidities (all patients): A histogram of comorbidities among all patients with atrial fibrillation or atrial flutter. AHAAF33

Diagnosis: A histogram of patients grouped by diagnosis. AHAAF34

Identified areas of unmet social needs: Patients with atrial fibrillation or atrial flutter who were assessed for health-related social needs grouped by unmet social needs identified. AHAAF35

Length of stay: A histogram of patients grouped by length of stay. AHAAF36

Post-discharge follow-up interval: Patients with a follow-up appointment scheduled for after discharge grouped by time to follow up (≤14 days; 15-30 days; 31-45 days; 46-60 days; 61-90 days; >90 days and unknown). AHAAF61

Race/Hispanic Ethnicity: A histogram of patients grouped by race and Hispanic ethnicity. AHAAF37

Rhythm Control/Rate Control Strategy Planned/Intended: A histogram of patients for whom a rhythm control/rate control strategy plan was documented prior to hospital discharge. AHAAF38

Sex: A histogram of patients grouped by gender. AHAAF39

Specialty of post-discharge follow-up provider: Patients with a follow-up appointment scheduled for after discharge grouped by specialty of provider. AHAAF60

Atrial fibrillation composite score: Preparation of performance opportunities that were met among e A Z

R

